The Board of Pharmacy has received notice of the following product recall:

Description	Lot # and Exp Date	NDC	UPC
FLUCAINE OPTH SOL 5ML	17362 12/31/20; 18089 04/30/21; 18138 06/30/21; 18146 06/30/21; 18210 08/31/21; 18211 08/31/21; 18272 11/30/21; 18273 11/30/21; 18276 11/30/21; 17255 08/31/20	54799050721	31571850721
HOMATROPINE EYE DROPS 5% 5ML	17186 06/30/20; 17345 11/30/20; 19010 01/31/22	54799043105	35479943105
OCuSOFT EYE WASH	18026 01/31/21; 18100 04/30/21; 19052 02/28/22; 19130 05/31/22	54799056501	NOT STOCKED
15ML	18285 11/30/21; 17303 10/31/20; 18032 02/28/21; 18235 09/30/21; 19021 01/31/22	54799050315	
15ml	17206 07/31/19; 18003 01/31/20; 18097 04/30/20; 18166 07/31/20; 18292 11/30/20; 19106 04/30/21; 17205 07/31/19	54799050215	NOT STOCKED
TETRAVISC 0.5% 0.6ML 12	17236 08/31/19; 17334 11/30/19; 18015 01/31/20	54799050501	35479950501
TETRAVISC FORTE 0.5% 0.6ML 12	17217 07/31/19; 18256 10/31/20	54799050401	35479950401
TETRAVISC FORTE O/S 0.5% 5ML	17199 07/31/19; 17233 08/31/19; 17337 11/30/19; 17338 11/30/19; 18248 10/31/20; 17198 07/31/19	54799050405	35479950405
0.5% 5MI	19125 04/30/21; 17232 08/31/19; 17334 11/30/19; 18249 10/31/20	54799050505	35479950505
ALTAIRE CIPROFLOXACIN HCI OPHTHALMIC SOLUTION .3% 5mL		59390021705	NOT STOCKED

OCuSOFT is recalling the above items/lots due to a recall issued by Altaire, which has issued a retail level recall due to management concerns regarding the sufficiency of Quality Assurance

controls over critical systems in the manufacturing facility. This recall is to the retail/pharmacy level. Affected product started shipping November 7, 2016.

The Board of Pharmacy strongly encourages pharmacies to immediately review their quality assurance and recall policies and procedures to determine if any corrective action is required.